Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	9	(("20030220740") or ("20030042861") or ("5563800") or ("5576632") or ("5623579") or ("5642296") or ("6429812") or ("6556981") or ("6633238")).PN.	US-PGPUB; USPAT	OR	OFF	2006/03/28 13:44
S2	1	("20040199573").PN.	US-PGPUB; USPAT	OR	OFF	2006/03/22 14:34
S3	1602	geographic\$4 with diverse	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/22 14:37
S4	874366	distributed	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/22 14:37
S5	33	S3 with object	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/22 15:34
S6	38499	S4 with object	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/22 14:37
S7	13252	diagnostic with computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/22 15:34
S8	77408	data with acquisition	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/22 15:35
S9	20892	expert with system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/22 15:35
S10	402877	server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/22 15:35

						· p. n =
S11	1	S6 same S8 same S9 same S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/22 15:35
S12	79	S6 same S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/22 15:36
S13	1489	S9 same S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/22 15:36
S14	7	S12 and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/22 15:36
S15	3	remote adj fault adj detection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/22 16:17
S16	0	remote adj health adj detection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/22 16:17
S17	12	network adj remote adj sensing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/22 16:17
S18	57	interpretation with (remote adj sensing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/22 16:34
S19	1358	(heating adj system) with house	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/22 16:18

S20	644	S19 and maintain\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/22 16:18
S21	63	S20 and network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/22 16:19
S22	39	S19 same network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/22 16:19
S23	17	S20 and S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/23 13:16
S24	0	S18 same alarm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/22 16:20
S25	4	S18 same network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/22 16:20
S26	19	S15 or S17 or S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/22 16:21
S27	448	remote with fault with detection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/22 16:34
S28	65	S27 same network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/22 16:34

						
S29	23	remote with health with detection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/22 16:34
S30	2	S29 same alarm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/22 16:35
S31	481	network with remote with sensing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/22 16:35
S32	19	S31 same alarm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/22 16:35
S33	86	S28 or S30 or S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/22 16:36
S34	3	remote adj fault adj detection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/23 13:16
S35	12	network adj remote adj sensing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/23 13:16
S36	57	interpretation with (remote adj sensing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/23 13:16
S37	1358	(heating adj system) with house	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/23 13:16

		,				
S38	644	S37 and maintain\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/23 13:16
S39	39	S37 same network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/23 13:16
S40	17	S38 and S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/23 13:16
S41	4	S36 same network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/23 13:16
S42	19	S34 or S35 or S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/23 13:16
S43	448	remote with fault with detection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/23 13:16
S44	65	S43 same network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/23 13:16
S45	23	remote with health with detection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/23 13:16
S46	2	S45 same alarm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/23 13:16

S47	482	network with remote with sensing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/23 13:16
S48	19	S47 same alarm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/23 13:16
S49	86	S44 or S46 or S48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/23 13:16
S50	121	S40 or S42 or S49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/23 13:17
S51	1615	706/45-48.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/23 13:18
S52	1	S50 and S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/23 13:18
S53	268	706/60-61.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/23 13:18
S54	0	S50 and S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/23 13:19
S55	10762	(data or information) with acqui\$6 with (parameter or rule or expert)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/23 13:21

S56	4589	((signal or information) with process\$4) same health	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 14:30
S57	19	S55 same S56	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/23 13:21
S58	199877	((signal or information) with process\$4) same (health or condition or status)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/23 13:24
S59	13	S55 same S58 same remote	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/23 13:25
S60	9	(("20030220740") or ("20030042861") or ("5563800") or ("5576632") or ("5623579") or ("5642296") or ("6429812") or ("6556981") or ("6633238")).PN.	US-PGPUB; USPAT	OR	OFF	2006/03/24 12:23
S61	5	S60 and remote	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/24 12:10
S62	0	S60 and disorder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/24 12:10
S63	3	S60 and health	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/24 12:16
S64	2	"6774601".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/24 12:16

S65	7581	rule\$1 SAME (data or information) with (acquir\$3 or acquisition or gather\$3 or sens\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 14:30
S66	36314	rule\$1 SAME (dignal or data or information) with (process\$3 or analy\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 13:45
S67	31027	rule\$1 SAME (monitor\$4 or observ\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 13:55
S68	15635	rule\$1 SAME (system with operati\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 13:46
S69	595	S65 and S66 and S67 and S68	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 13:47
S70	1562	remot\$4 with (fault or health) with detect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 13:47
S71	50908	remote with sens\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 13:47
572	3668	S71 same network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 13:48
S73	203	S70 same network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 13:48

S74	3401	(S70 or S71) same alarm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 13:48
S75	3848	(S70 or S71) same network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 13:48
S77	74661	statistic\$5 and correlat\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 13:50
S78	8614	probabilit\$4 with pattern	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 13:51
S79	4518	multi\$1dimensional with space	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 13:51
S80	4971	classif\$8 with distance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 13:51
S81	8929	probabilit\$4 with (pattern or trend)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 13:51
S82	4622	forecast with time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 13:52
S83	205	S79 and S80	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 13:52

S84	26	heuristic\$4 with rule\$1 with thresh\$1old	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 13:53
S85	123	heuristic\$4 same rule\$1 same thresh\$1old	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 13:53
S86	1	S85 and S82 and S81	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 13:54
S87	53	S81 and S82	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 13:54
S88	834056	(monitor\$4 or observ\$6 or sens\$5) same (broken or break\$4 or decompos\$4 or separat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 13:57
S89	202519	S88 same type	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 13:57
S90	23992	S88 same basic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 13:57
S91	52550	S88 same distrib\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 13:58
S92	159406	S88 same set	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 13:58

S93	942	S89 and S90 and S91 and S92	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 13:58
S97	6111	((knowledge with base) or knowledge\$1base or database) same add\$3 same (pattern or profile or model)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 14:01
S98	274197	automatic\$5 with relat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 14:01
S99	27	S97 same S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 14:02
S10 0	1562	remot\$4 with (fault or health) with detect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 14:27
S10 1	50908	remote with sens\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 14:27
S10 2	3401	(S100 or S101) same alarm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 14:27
S10 3	3848	(S100 or S101) same network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 14:27
S10 4	8929	probabilit\$4 with (pattern or trend)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 14:27

S10 5	30	(S102 or S103) and S104	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 14:55
S10 6	3171	rule with domain	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 14:30
S10 7	72	S106 same ((data or information) with (acquir\$3 or acquisition or gather\$3 or sens\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 14:33
S10 8	168	S106 same ((signal or information) with process\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 14:30
S10 9	22	S106 same (system with customiz\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 14:31
S11 0		S106 same ((recogni\$7 or detect\$4) with confidence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 14:32
S11 1	11	S106 same (archiv\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 14:32
S11 2	24	S106 same (report\$4 with (generat\$6 or creat\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 14:32
S11 3	115	S106 same ((data or information) with (communicat\$4 or transmi\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 14:33

S11 4	1	S107 and S108 and S109 and S111 and S112 and S113	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 14:34
S11 5	3	(S102 or S103) and (S107 or S108 or S109 or S111 or S112 or S113)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 14:34
S11 6	3	S114 or S115	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 14:35
S11 7	6111	((knowledge with base) or knowledge\$1base or database) same add\$3 same (pattern or profile or model)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 15:37
S11 8	274197	automatic\$5 with relat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 15:37
S11 9	27	S117 same S118	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 15:37
S12 0	2	(S102 or S103) and S119	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 15:37
S12 1	4518	multi\$1dimensional with space	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 15:43
S12 2	4971	classif\$8 with distance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 15:43

					T	
S12 3	205	S121 and S122	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 15:43
S12 4	5	S123 and (S102 or S103)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 15:43
S12 5	4622	forecast with time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 15:47
S12 6	123	heuristic\$4 same rule\$1 same thresh\$1old	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 15:47
S12 7	1	S126 and S125 and S104	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 15:47
S12 8	53	S104 and S125	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 15:47
S12 9	1	(S127 or S128) and (S102 or S103)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 15:47
S13 0	834056	(monitor\$4 or observ\$6 or sens\$5) same (broken or break\$4 or decompos\$4 or separat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 15:48
S13 1	202519	S130 same type	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 15:48

					ı	
S13 2	23992	S130 same basic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 15:48
S13 3	52550	S130 same distrib\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 15:48
S13 4	159406	S130 same set	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 15:48
\$13 5	942	S131 and S132 and S133 and S134	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 15:48
S13 6	11	(S102 or S103) and S135	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 15:48
S13 7	7581	rule\$1 SAME (data or information) with (acquir\$3 or acquisition or gather\$3 or sens\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 16:02
S13 8	36314	rule\$1 SAME (dignal or data or information) with (process\$3 or analy\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 16:02
S13 9	31027	rule\$1 SAME (monitor\$4 or observ\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 16:02
S14 0	15635	rule\$1 SAME (system with operati\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 16:02

S14 1	595	S137 and S138 and S139 and S140	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 16:02
S14 2	45	(S102 or S103) and S141	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/28 16:02